



KONICA MINOLTA

TECHNOLOGY

Konica Minolta Office MFP Solutions. Innovation You Can Count On.

office



Giving Shape to Ideas

Innovation. With Konica Minolta, you'll have innovative MFP solutions that give shape to ideas. Every Konica Minolta Office MFP and desktop printer/copier benefits from a design philosophy that puts more power in less space, with simple control and plug-and-play integration of software solutions. You'll have a wide range of choices in color and B&W, all with high-tech features and workhorse reliability – qualities that make Konica Minolta today's first choice in office productivity.



**High-Volume
Color**

bizhub C754e
bizhub C654e

**High-Volume
B&W**

bizhub 754e
bizhub 654e

**Mid-Volume
Color**

bizhub C554e
bizhub C454e
bizhub C368
bizhub C308
bizhub C287
bizhub C258
bizhub C227

**Mid-Volume
B&W**

bizhub 554e
bizhub 454e
bizhub 364e
bizhub 284e
bizhub 287
bizhub 227

Compact MFP

bizhub C3850/FS
bizhub C3350
bizhub 4750
bizhub 4050
bizhub 25e

AiO

bizhub C3110
bizhub 4020
bizhub 3320

Single Function

bizhub C3100P
bizhub 4700P
bizhub 4000P
bizhub 3300P

High-Volume.

Built for speed and workflow efficiency. High-volume bizhub® MFP models deliver B&W prints and copies at up to 75 ppm, with standard dual scanning at up to 180 originals per minute. Fast color scanning brings color originals into your workflow for easier saving and sharing. Color models can produce color prints as fast as 60 ppm – and integrated software gives you more power to meet changing document demands. For self-service central reproduction departments (CRDs) and back-office operations, these high-speed bizhub print/copy/scan solutions are unsurpassed.

Mid-Volume.

Flexible solutions for every business need. With print/copy output speeds of 55 ppm, 45 ppm, 36 ppm, 30 ppm, 28 ppm and 22 ppm, mid-volume bizhub MFPs give you powerful, integrated solutions to meet wide-ranging business needs – an essential resource for workgroups, branch offices and small businesses with expanding ambitions. Right-size scalability means you can choose the speed, productivity and options you need – no compromise, no underutilized capacity.

Light-Volume.

Retire legacy laser printers and fax machines. Today's networked workflow demands more – increased efficiency, wide-ranging flexibility and reduced cost, plus greater accuracy and accountability. With network connectivity, high-resolution imaging and expandable paper capacity, these light-volume Konica Minolta color and B&W solutions are a perfect fit for mixed MFP and desktop environments.

**Satisfaction.**

Nobody does it better. With innovative technologies and plug-and-play software solutions, bizhub Office MFPs drive business goals. Recognized by Buyers Laboratory LLC (BLI) for an unprecedented four consecutive years as the winner of the "A3 MFP Line of the Year" award and by Brand Keys for eight straight years as the #1 Brand for Customer Loyalty in the MFP Office Copier Market, Konica Minolta Business Solutions is a proven leader.





Customization.

Fast access to the features you use most. Every company or organization has its own unique ways of working – and not all MFP functions are equally valuable. The bizhub MFP user interface can be customized to suit individual needs by adding or removing an application from the home screen, customizing a scanning process or displaying the functions that match small business needs or enterprise user demands.



Solutions.

They begin at your MFP's control panel. With bizhub Extended Solution Technology (bEST) you'll have "solutions at the machine," saving time and money by integrating with industry-standard software on your bizhub touchscreen control panel. Distribute and print documents and images, authenticate and track usage by department, user and account, securely release and print documents from centralized servers, even from cloud-based repositories – all accessible via intuitive menus that give everyone a touch of genius.

Simplicity.

A touchscreen as easy as a tablet. The latest evolution of our INFO-Palette design lets you drag, drop, pinch in and pinch out, rotate images and more. With a quick flick of your finger, you can bring up the menu you want. Most models let you preview documents before you print, reducing errors that waste time and paper.

Technology.

What makes Konica Minolta your best choice for managing content, increasing efficiency, improving productivity, managing and recovering costs? It starts with bizhub technology, today's benchmark in fast, cost-efficient digital document delivery. Then we add cool new features, functions and solutions to speed your workflow and set you free – touchscreen control, effortless mobility and solutions at your control panel. For MFPs that work the way you do, bizhub performance is unsurpassed.



Applications.

Go shopping on the bizhub Marketplace. Simple workflow and communication apps run inside your bizhub and are accessible from the touchscreen control panel to provide immediate productivity benefits. Apps like Google Mail and Drive, Connect to Microsoft SharePoint, Connect to Dropbox and Evernote support scanning to and printing from these cloud-based and on-premises document repositories. Announcements, Clean Planet, Paper Templates and more can save time, speed work and make administrative tasks easier. For information, please visit: bizhubmarketplace.com.



Access.

Helping everyone reach full potential. At Konica Minolta, we develop products from the ground up for Section 508 compliance: accessibility for everyone, regardless of age, gender, stature or special needs. Touchscreen control panels tilt for greater visibility. Control LEDs and icons are brighter and easier to understand. Paper drawers open from the front with smooth-sliding action.



Mobility.

An essential advantage for today's mobile workforce. Our PageScope® Mobile app lets you print or scan documents on networked bizhub MFPs from iPad, iPod, iPhone or Android devices. With Apple's AirPrint Wireless Printing, you'll have quick and efficient printing on iOS devices. We also provide mobile printing capability through Google Cloud Print and Near Field Communication (NFC) systems. Wireless printing is available on all bizhub MFPs, – and Konica Minolta is on the board of the Mopria Alliance, a non-profit industry initiative dedicated to simplifying the process of wireless printing with common standards and transparent interoperability.



i-Options.

Special tools for demanding applications. Innovative i-Option capabilities for your bizhub MFP include Internet access from your bizhub touchscreen, PDF/A formatting and Linearized PDF support, Advanced PDF encryption for secure scanning applications, Searchable PDF conversion, specialized barcode printing support and more. There's also an i-Option for Voice Guidance operation for the vision-impaired.

Controlling Costs.

Keep track of your workflow. PageScope Enterprise Suite provides multiple accounting and cost control benefits – tracking your MFP copy, print, scan and fax activities, tracking usage by users or departments, creating reports to allocate costs. It also enables you to authenticate users, restrict or limit access to specific MFP functions, even release prints from anywhere on your network.

Enterprise Print Management Services.

Manage your printing, right-size your fleet. Konica Minolta's Managed Print Services program, named Optimized Print Services (OPS) program can boost your efficiency, lower your costs, even assist you in modifying employee behavior to increase document productivity. Konica Minolta's unique approach to your fleet, security and workflow starts with advanced assessment processes and metrics to evaluate your current print environment – and pays off in measurable results.



Expertise. How can Konica Minolta help your business move forward – and keep ahead of the competition? By understanding the real-world needs that drive gains in performance and productivity: enhanced security, cost controls, print management and accounting, and efficient business processes. With proven expertise in creating adaptable, customizable systems that achieve specific productivity and cost-saving goals for general business as well as legal, educational, healthcare, financial, manufacturing and other specialized industries. Through years of experience, we've learned to listen. That's why you can count on Konica Minolta.



Security.

More ways to safeguard your data. The latest bizhub MFPs have been certified to meet strict ISO 15408, IEEE 2600.1 and FIPS 140-2 standards. Along with encrypted PDF, hard drive encryption, automatic document overwrite, IP filtering, Copy Guard and a comprehensive array of standard safeguards, Konica Minolta offers advanced authentication options like Biometric Authentication — as well as options to support popular card-based security systems for HID Proximity Cards, HID iClass Cards, Magnetic Stripe Cards and CAC/PIV Card systems in use by the U.S. Federal Government (including the Department of Defense).



bizhub SECURE.

Powerful lock-down protection. Your Konica Minolta service provider can activate the

built-in security-based features of your bizhub MFP by enabling bizhub SECURE: setting a secure administrative password, HDD encryption and HDD password lock, temporary data overwrite after each job and auto deletion of User Box data after a specified time.

Device Automation.

Keeping you up and running. Konica Minolta's bizhub vCare program can increase your productivity by maximizing your uptime. With automated meter reads and monitoring of toner levels, scheduled service calls, proactive routine maintenance and fast emergency response, vCare, a Miercom Certified Green technology, can make all the difference when it counts.



Administration.

Get it done without leaving your desk. PageScope Device Manager allows users or administrators to check MFP operating status from their browser. Administrators can also configure, monitor and manage bizhub devices remotely from a centralized web-browser-based console.





Environment.

At Konica Minolta protecting the planet is a top priority. As part of our worldwide Corporate Citizenship program, we pursue a broad array of environmental initiatives – eliminating pollutants, reducing energy consumption, and creating products and solutions that help our customers realize their own sustainability goals.

Clean Planet.

Recycling made easier. Konica Minolta's Clean Planet program provides cost-free recycling for all our consumables, including toner cartridges and bottles, imaging units, developer and drums – with prepaid shipping labels and cost-free packaging. We can even arrange pickup from high-volume users.

Impact.

Brilliant, vivid color images. Color bizhub MFPs produce superb images with Simitri® HD toner – our exclusive toner formulation with smaller, more uniform particles for high-resolution text and detail. Simitri toner uses plant-based biomass material to reduce environmental impact – and also fuses to paper at lower temperatures, saving energy as it improves your image.

Eco Vision 2050.

A vision for the future. At Konica Minolta, we're committed to a mid-century goal of reducing CO₂ emissions by 80% over 2005 levels, minimizing greenhouse gases that may contribute to global warming. We pursue that goal every day – minimizing energy consumption, cutting pollution and using recycled materials in construction.

Sustainability.

Steps to reduce our eco-footprint. The latest bizhub models are EPEAT-Gold Certified and achieve among the lowest power consumption rates of any MFPs in their class. Energy saving modes reduce power consumption while maintaining fast first-copy output – and a unique Eco-indicator helps you monitor paper, toner and energy usage.

Partnership

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

Information Management

Enterprise Content Management (ECM)
Document Management
Automated Workflow Solutions
Business Process Automation
Security and Compliance
Mobility

IT Services

Application Services
Cloud Services
IT Security
Managed IT Services
IT Consulting & Projects

Technology

Office Multifunction Business Solutions
Commercial and Production Printers
3D Printers
Wide Format Printers
Laptops, Desktops and Computer Hardware
Servers and Networking Equipment
Managed Print Services (MPS)
Facilities Management



KONICA MINOLTA

© 2016 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo, Count on Konica Minolta, bizhub, PageScope, and Giving Shape to Ideas are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.
100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com



Item #: MFPBRO
1/16 - S



KONICA MINOLTA

bizhub C364e/C284e/C224e

Spec Sheet

System

Select One One of the options may be selected (not mandatory).

Must Select Once of the options must be selected (mandatory).



Dual Scan Document Feeder DF-701



Reverse Automatic Document Feeder DF-624



Original Cover OC-511

Must Select

Upgrade kit UK-204
2 GB memory

i-Option LK-101 v3
Web browse function

i-Option LK-102 v3
Encrypted PDF or PDF/A (1a/1b)

i-Option LK-104 v3
Voice guidance
* Local Interface Kit EK-606 or EK-607 is required.

i-Option LK-105 v3
Searchable PDF

i-Option LK-111
ThinPrint function

Keypad KP-101

Assist Handle AH-101

Image Controller (Fiery) IC-414 * For bizhub C364e/C284e only.

Video Interface Kit (Fiery) VI-506 * For bizhub C364e/C284e only.

Security Kit SC-508
* Two SC-508 are required.

Fax Kit FK-511
For 1st / 2nd line
* 1st line : Requires Main Unit + one FK-511
2nd line: Requires Main Unit + two FK-511

Stamp Unit SP-501

i-Option LK-106
Barcode font (Code39, QR Code, PDF417)

i-Option LK-107
Unicode font

i-Option LK-108
OCR font (OCR-A, OCR-B (PCL))

i-Option LK-110
File format extension package

bizhub Connector S-1/G-1/E-1
* LK-101 v3 is required.

i-Option LK-115
TPM function
* Not available in all areas.

Upgrade kit UK-208
Android terminal connection kit 1

Upgrade kit UK-209
Android terminal connection kit 2

Local Interface Kit EK-606
USB hub kit / Voice guidance

Local Interface Kit EK-607
USB hub kit / Voice guidance / mobile phone compatibility

Working Table WT-506

Authentication Unit AU-102
Biometric type
* WT-506 is required.

Authentication Unit AU-201
IC card type
* WT-506 or MK-735 is required. However, AU-102 cannot be combined when equipped with WT-506.

Mount Kit MK-735
For IC card authentication installation
Built into front panel.

Mount Kit MK-730
Used for banner printing.

Select One

Select One

Select One

Desk DK-705

Paper Feed Cabinet PC-110 (500 x 1)

Paper Feed Cabinet PC-210 (500 x 2)

Paper Feed Cabinet PC-410 (2,500)

Desk DK-510

* Cannot be selected with FS-534 installed.

- A5 (Short edge feed) to A3
- 500 sheets x 1
- 52 to 256 g/m²

- A5 (Short edge feed) to A3
- 500 sheets x 2
- 52 to 256 g/m²

- A4/Letter Crosswise
- 2,500 sheets
- 52 to 256 g/m²


Note: Some options are not listed.

Giving Shape to Ideas

Specfications

bizhub C364e/C284e/C224e General Specifications

		bizhub C364e	bizhub C284e	bizhub C224e
Type	Desktop Full Colour Printer / Copier / Scanner			
Colour Support	Full colour			
Copy Resolution	Scan	Main: 600 dpi × Sub: 600 dpi		
	Print	1,800 dpi (equivalent) × 600 dpi		
Gradation	256			
Memory Capacity (Std./Max.)	2 GB/4 GB			
HDD	250 GB			
Original Type	Sheets, Books, Objects			
Max. Original Size	A3 (11" × 17")			
Output Size	SRA3 to A5, B6S*, A6S*, Thick paper, Foolscap*2 (8-1/2" × 13-1/2", 200 mm × 330 mm, 8-1/8" × 13-1/4", 8-1/2" × 13", 8-1/4" × 13", 8" × 13"), 8K, 16K, Long Length Paper (210 × 457.3 mm to 297 × 1,200 mm)			
Image Loss	Max. 4.2mm or less for top edge (5 mm for thin paper), Max. 3.0mm or less for bottom edge, Max. 3.0mm or less for right/left edges *A loss of 4.2 mm each during printing.			
Warm-Up Time*3 (23°C, std. voltage)	Colour/B&W: 20 sec. or less	Colour/B&W: 20 sec. or less	Colour/B&W: 20 sec. or less	
* The time required to start printing when both the main power and sub-power switches are turned from OFF to ON.				
* The time required to start printing when the main power switch is ON and the sub-power switch is turned from OFF to ON.				
First Copy Out Time*4	Colour: 6.9 sec. or less B&W: 5.3 sec. or less	Colour: 7.7 sec. or less B&W: 5.9 sec. or less	Colour: 8.3 sec. or less B&W: 6.9 sec. or less	
Copy Speed (A4 Crosswise)	Colour/B&W: 36 ppm	Colour/B&W: 28 ppm	Colour/B&W: 22 ppm	
Copy Magnification	Fixed Same Magnification	1: 1±0.5% or less		
	Scaling Up	1: 1.154/1.224/1.414/2.000		
	Scaling Down	1: 0.866/0.816/0.707/0.500		
	Preset	3 types		
	Zoom	25 to 400% (in 0.1% increments)		
	Lengthwise Crosswise Individual Settings	25 to 400% (in 0.1% increments)		
Paper Capacity (80 g/m ²)	Tray 1	500 sheets (up to A3)		
	Tray 2	500 sheets (up to SRA3)		
	Multiple Bypass Tray	150 sheets (up to SRA3)		
Max. Paper Capacity (80 g/m ²)*5	3,650 sheets			
Paper Weight	Tray 1 / 2	52 to 256 g/m ²		
	Multiple Bypass Tray	60 to 300 g/m ²		
Multiple Copy	1 to 9,999 sheets			
Auto Duplex	Paper Size	Width: 100 to 320 mm, Length: 148 to 457.2 mm		
	Paper Weight	52 to 256 g/m ²		
Power Requirements	AC220 to 240 V 8 A (50 to 60 Hz)			
Max. Power Consumption	1.58 kW or less			
Dimensions [W] × [D] × [H]	615 × 685 × 779 mm (24-1/4" × 27-1/2" × 30-3/4")			
Weight	Approx. 85 kg (187-1/2 lb)			
Space Requirements [W] × [D]*6	937 × 1,214 mm (37" × 47-3/4")			

- *1 S: Short edge feed 
*2 Set by Customer engineer
*3 May vary depending on the operating environment and usage.
*4 A4 crosswise full size/using the first tray/scanning from the original glass surface.
*5 With options installed.
*6 Without options, with paper trays pulled out, and multiple bypass tray, auxiliary tray and ADF opened.

Printer Specifications

Type	Embedded	
CPU	SOC 800 MHz (DualCore)	
Memory	Shared with the copier	
Print Speed	Same as Copy Speed (when using the same original)	
HDD	250 GB (Shared with the copier)	
Print Resolution	1,800 dpi (equivalent) × 600 dpi (at smoothing) or 1,200 dpi × 1,200 dpi (in 1,200 dpi mode)*1	
PDL	PCL 5e/c Emulation, PCL 6 Emulation, PostScript 3 (3016) Emulation, XPS (Ver.1.0)	
Protocol	TCP/IP, IPX/SPX (NDS support), SMB (NetBEUI), LPD, IPP1.1, SNMP, HTTP	
Support OS	Windows Vista / Vista 64bit / 7 / 7 64bit / 8 / 8 64bit / 8.1 / 8.1 64bit	
	Windows Server 2003 / Server 2003 64bit / Server 2003 R2 / Server 2003 R2 64bit / Server 2008 / Server 2008 64bit / Server 2008 R2 / Server 2012 / Server 2012 R2	
Fonts	PCL	80 Roman fonts
	PS	137 Roman Type1 fonts
Interface	Ethernet (10BASE-T/100BASE-TX/1000BASE-T), USB 1.1, USB 2.0, USB Host	

*1 Output speed will be reduced.

Scanning Specifications

Type	Full-Colour Scanner	
Interface	Ethernet (10BASE-T/100BASE-TX/1000BASE-T)	
Driver	TWAIN Driver, HDD TWAIN Driver	
Protocol	TCP/IP (FTP, SMB, SMTP, WebDAV) (IPv4/IPv6)	
Scanning Speed (Colour/B&W) (300 dpi, A4 Crosswise)	Simplex	80 opm
	Duplex (DF-701)	160 opm
Scanning Size	Max. A3 (11" × 17")	
Output Format	TIFF, JPEG, PDF Compact PDF, XPS, Compact XPS, OOXML (pptx, xlsx*, docx*), Searchable PDF*, PDF/A*, Linearised PDF* *Optional	
Scanning Resolution	Push	200 dpi / 300 dpi / 400 dpi / 600 dpi
	Pull	100 dpi / 200 dpi / 300 dpi / 400 dpi / 600 dpi
Main Functions	Scan to E-Mail, Scan to FTP, Scan to BOX (HDD), Scan to PC (SMB), Network TWAIN, Scan to WebDAV, Scan to Me, Scan to Home, Scan to USB, Scan to Scan Server, Scan to Web Service (WSD-Scan), Device Profile for Web Services (DPWS)	
Other Functions	Multi-Method Send, Authentication at the time of E-Mail send (SMTP authentication, POP before SMTP), S/MIME, Annotation	

Internet Fax

Protocol	SMTP, POP	
Connection Mode	Full-Mode	
Sending Paper Size	A3, B4, A4	
Recording Paper Size	Max. A3	
Resolution	200 × 100 dpi, 200 × 200 dpi, 400 × 400 dpi, 600 × 600 dpi	
Interface	Ethernet (10BASE-T/100BASE-TX/1000BASE-T)	
Colour	Support Colour Internet Fax	
Format	Send: TIFF-F, Receive: TIFF-F Colour/Grey Scale: TIFF (RFC3949 Profile-C)	

Fax Kit FK-511 (Optional)

Communication	Super G3
Compatible Lines	Public Switch Telephone Network, Private Branch Exchange, Fax Communication Line
Line Density	G3 (8 dot/mm × 3.85 line/mm, 600 × 600 dpi)
Modem Speed	2.4 to 33.6 kbps
Compression	MH/MR/MMR/JBIG
Sending Paper Size	Max. A3 (Long Length Support: Max.1,000 mm)
Recording Paper Size	Max. A3 (Long Length Max. 1,000 mm — following the page division —)
Transmission Speed	Less than 3 sec. (A4, V34, 33.6 kbps, JBIG)
Memory	Shared with the copier
Number of Abbr. Dials	2,000
Number of Program Dials	400
Number of Group Dials	100
Sequential Multiple Station Transmission	Max. 600

IP Address Fax *Optional Fax Kit FK-511 is required.

Protocol Transmission	SMTP
Sending Paper Size	A3, B4, A4
Resolution	200 × 200 dpi, 400 × 400 dpi, 600 × 600 dpi
Format	Send: TIFF-F, Receive: TIFF-F Colour/Grey Scale: TIFF (RFC3949 Profile-C)

Fiery Image Controller IC-414 (Optional)


(For bizhub C364e/C284e Only) * Optional Video Interface Kit VI-506 is required.

Type	Embedded
CPU	Intel Pentium E5300 2.60 GHz
Memory	2 GB
HDD	160 GB
Print Speed	Same as Copy Speed (when using the same original)
Print Resolution	1,800 dpi (equivalent) × 600 dpi (at smoothing) or 1,200 dpi × 1,200 dpi (in 1,200 dpi mode)*1
PDL	PCL 6, Adobe PostScript 3 (3019)
Protocol	Ethernet (Apple Talk, TCP/IP), HTTP/HTTPS, SSL/TLS for HTTPS, SMB, Port9100 (Bi-Directional), IPP, LDAP, IPV6, SNMP v3
Support OS	Windows Vista / Vista 64bit / 7 / 7 64bit / 8 / 8 64bit / 8.1 / 8.1 64bit
	Windows Server 2003 / Windows Server 2003 64bit / Server 2008 / Server 2008 R2 / Server 2012 / Server 2012 R2
Fonts	Mac OS X 10.4.11 / X 10.5 / X 10.6 / X 10.7 / X 10.8 / X 10.9
	Adobe PS 138 Roman fonts, Agfa PCL 80 Roman fonts and 1 bitmap font, Additional PCL 35 fonts, Euro Currency Resident Font
Interface	Ethernet (10BASE-T/100BASE-TX/1000BASE-T), USB

*1 Output speed will be reduced.


Dual Scan Document Feeder DF-701 (Optional)

Type	Single pass simultaneous duplex system	
Support Paper Size	A3 to A6S*, 11" × 17" to 5-1/2" × 8-1/2", Foolscap*2 (8-1/2" × 13-1/2", 200 mm × 330 mm, 8-1/8" × 13-1/4", 8-1/2" × 13", 8-1/4" × 13", or 8" × 13"), 8K, 16K	
Mixed Size	Support	
Original Set	Centre guide	
Resolution	600 dpi support	
Support Paper Weight	Simplex: 35 to 163 g/m ² , Duplex: 50 to 163 g/m ² Mixed Original: 50 to 128 g/m ² FAX Mode: 35 to 163 g/m ² (Simplex), 50 to 163 g/m ² (Duplex)	
Paper Capacity	Max. 100 sheets (80 g/m ²)	
Productivity (A4 Crosswise)	Simplex	Copy (Colour/B&W): 55 opm (600 dpi) Scan (Colour/B&W): 80 opm (300 dpi)
	Duplex	Copy (Colour/B&W): 110 opm (600 dpi) Scan (Colour/B&W): 160 opm (300 dpi)
Power Requirements	Supplied from the MFP main body	
Max. Power Consumption	74.5 W or less	
Dimensions [W] × [D] × [H]	611.2 × 503.6 × 130 mm (24" × 19-3/4" × 5")	
Weight	Approx. 12 kg (26-1/2 lb)	

- *1 S: Short edge feed 
*2 Set by Customer engineer

Reverse Automatic Document Feeder DF-624 (Optional)

Type	Circulatory duplex system	
Support Paper Size	A3 to A6S*, 11" × 17" to 5-1/2" × 8-1/2", Foolscap*2 (8-1/2" × 13-1/2", 200 mm × 330 mm, 8-1/8" × 13-1/4", 8-1/2" × 13", 8-1/4" × 13", or 8" × 13"), 8K, 16K	
Mixed Size	Support	
Original Set	Centre guide	
Resolution	600 dpi support	
Support Paper Weight	Simplex: 35 to 128 g/m ² Duplex/Mixed Original: 50 to 128 g/m ² FAX Mode: 35 to 128 g/m ² (Simplex), 50 to 128 g/m ² (Duplex)	
Paper Capacity	Max. 100 sheets (80 g/m ²)	
Productivity (A4 Crosswise)	Simplex	Copy (Colour/B&W): 55 opm (600 dpi) Scan (Colour/B&W): 80 opm (300 dpi)
	Duplex	Copy (Colour/B&W): 26 opm (600 dpi) Scan (Colour/B&W): 37 opm (300 dpi)
Power Requirements	Supplied from the MFP main body	
Max. Power Consumption	60 W or less	
Dimensions [W] × [D] × [H]	611.2 × 503.6 × 130 mm (24" × 19-3/4" × 5")	
Weight	Approx. 9 kg (19-3/4lb)	


- *1 S: Short edge feed 
*2 Set by Customer engineer

Specifications



Finisher FS-533 (Optional)

Type	Finisher	
Support Paper Type	Thin paper/Plain paper (52 to 90 g/m ²), Thick paper (91 to 300 g/m ²), Transparency, Envelope, Label sheet, Letterhead paper, Long length paper, Tab paper	
Support Paper Size	SRA3 to A5, B6S ^{*1} , A6S ^{*1} , Thick paper, Foolscap ^{**2} (8-1/2" × 13-1/2", 200 mm × 330 mm, 8-1/8" × 13-1/4", 8-1/2" × 13", 8-1/4" × 13", 8" × 13"), 8K, 16K, Long Length Paper (210 × 457.3 mm to 297 × 1,200 mm)	
Mode	Sort, Group, Offset Sort, Offset Group, Staple	
Stacking Capacity	500 sheets (52 to 90 g/m ² , A4S ^{*1} or smaller) 250 sheets (52 to 90 g/m ² , B4 or larger) 10 sheets (91 to 300 g/m ² , special paper)	
Staple Capacity	50 sheets (52 to 90 g/m ² , A4S ^{*1} or smaller) 30 sheets (52 to 90 g/m ² , B4 or larger) 2 sheets (91 to 209 g/m ² , as cover pages)	
Power Requirements	Supplied from the MFP main body	
Max. Power Consumption	40 W or less	
Dimensions [W] × [D] × [H]	472.5 × 583.5 × 194.7 mm (18-1/2" × 23" × 7-3/4")	
Weight	Approx. 12 kg (26-1/2 lb)	

*1 S: Short edge feed 

*2 Set by Customer engineer



Job Separator JS-506 (Optional)

Support Paper Type (Weight)	Tray 1	Thin paper/Plain paper (52 to 90 g/m ²), Thick paper (91 to 300 g/m ²), Transparency, Envelope, Label sheet
	Tray 2	Thin paper/Plain paper (52 to 90 g/m ²), Thick paper (91 to 300 g/m ²), Transparency, Envelope, Label sheet, Long length paper
Support Paper Size	SRA3 to A5, B6S ^{*1} , A6S ^{*1} , Thick paper, Foolscap ^{**2} (8-1/2" × 13-1/2", 200 mm × 330 mm, 8-1/8" × 13-1/4", 8-1/2" × 13", 8-1/4" × 13", 8" × 13"), 8K, 16K, Long Length Paper (210 × 457.3 mm to 297 × 1,200 mm)	
Stacking Capacity	Tray 1	100 sheets (52 to 90 g/m ²)
	Tray 2	150 sheets (52 to 90 g/m ²)
Power Requirements	Supplied from MFP main body	
Max. Power Consumption	24 W or less	
Dimensions [W] × [D] × [H]	491.9 × 469.5 × 226.5 mm (19-1/2" × 18-1/2" × 9")	
Weight	Approx. 1.5 kg (3-1/4 lb)	

*1 S: Short edge feed 

*2 Set by Customer engineer



Punch Kit PK-519 (Optional)


Applicable	Finisher FS-533
Number of holes	2 holes or 4 holes
Support Paper Type (Weight)	Thin paper/Plain paper (52 to 90 g/m ²), Thick paper (91 to 157 g/m ²)
Support Paper Size	A3, B4, A4, B5, Foolscap ^{*1} (8-1/2" × 13-1/2", 200 mm × 330 mm, 8-1/8" × 13-1/4", 8-1/2" × 13", 8-1/4" × 13", 8" × 13"), 8K, 16K
Power Requirements	Supplied from Finisher FS-533
Dimensions [W] × [D] × [H]	110.2 × 483.5 × 203.2 mm (4-1/2" × 19" × 8")
Weight	Approx. 3.2 kg (7 lb)

*1 Set by Customer engineer



Finisher FS-534 (Optional)

Type	Finisher	
Support Paper Type	Thin paper/Plain paper (52 to 90 g/m ²), Thick paper (91 to 300 g/m ²), Transparency, Envelope, Label sheet, Letterhead paper, Long length paper, Tab paper	
Support Paper Size	SRA3 to A5, B6S ^{*1} , A6S ^{*1} , Thick paper, Foolscap ^{**2} (8-1/2" × 13-1/2", 200 mm × 330 mm, 8-1/8" × 13-1/4", 8-1/2" × 13", 8-1/4" × 13", 8" × 13"), 8K, 16K, Long Length Paper (210 × 457.3 mm to 297 × 1,200 mm)	
Mode	Sort, Group, Offset Sort, Offset Group, Staple	
Stacking Capacity	Output tray 1 (Sub tray)	200 sheets (52 to 90 g/m ²) 20 sheets (91 to 300 g/m ² , special paper)
	Output tray 2 (Main tray)	3,000 sheets (52 to 90 g/m ² , A4S ^{*1} or smaller, B5 or larger) *2,000 sheets when SD-511 is installed 1,500 sheets (52 to 90 g/m ² , B4 or larger) 500 sheets (52 to 90 g/m ² , A5 or smaller) 20 sheets (91 to 300 g/m ² , special paper)
	Output tray 3 (Relay Unit top surface)	100 sheets (52 to 90 g/m ²) 20 sheets (91 to 300 g/m ² , special paper)
	Staple Capacity	50 sheets (Plain Paper 52 to 90 g/m ²) 48 sheets (Plain paper 52 to 90 g/m ²) + 2 sheets (Thick paper 91 to 209 g/m ²) 30 sheets (Thick paper 91 to 120 g/m ²) 15 sheets (Thick paper 121 to 209 g/m ²)
Power Requirements	Supplied from the MFP main body	
Max. Power Consumption	56 W or less	
Dimensions [W] × [D] × [H]	528 × 641 × 1,023 mm (20-3/4" × 25-1/4" × 40-1/4")	
Weight	Approx. 40 kg (88-1/4 lb)	

*1 S: Short edge feed 

*2 Set by Customer engineer



Saddle Stitcher SD-511 (Optional)

Applicable	Finisher FS-534
Support Paper Type	Centre Staple: 52 to 90 g/m ² Half-Fold: 52 to 209 g/m ² (more than 91 g/m ² Thick paper can be used only as a cover page) Tri-Fold: 52 to 90 g/m ²
Support Paper Size	Centre Staple and Fold, Half-Fold: A3 Wide, A3, B4, A4S ^{*1} , 12-1/4" × 18", 11" × 17", 8-1/2" × 14", 8-1/2" × 11", 8K Tri-Fold: A4S ^{*1} , 8"-1/2" × 11"S ^{*1} , 16KS ^{*1}
Maximum Number of Sheets that can be Centrestapled	20 (52 to 90 g/m ²) sheets, or 19 (90 g/m ²) sheets + Thick (209 g/m ²) 1 sheet
Maximum Number of Folded Sheets	Half-Fold: 5 sheets or Thick (91 to 209 g/m ²) 1 sheet, Tri-Fold: 3 sheets
Stacking Capacity	1 to 3 sheets: 20 sets, 4 to 10 sheets: 10 sets 11 to 20 sheets: 5 sets Tri-Fold (1 sheet): 30 sets, Tri-Fold (2-3 sheets): 10 sets
Power Requirements	Supplied from Finisher FS-534
Dimensions [W] × [D] × [H]	210 × 556 × 547 mm (8-1/2" × 21-3/4" × 21-1/2")
Weight	Approx. 24 kg (53 lb)

*1 S: Short edge feed 



Punch Kit PK-520 (Optional)

Applicable	Finisher FS-534
Number of holes	2 holes or 4 holes
Support Paper Type (Weight)	Thin paper/Plain paper (52 to 90 g/m ²), Thick paper (91 to 300 g/m ²)
Support Paper Size	A3, B4, A4, B5, Foolscap ^{*1} (8-1/2" × 13-1/2", 200 mm × 330 mm, 8-1/8" × 13-1/4", 8-1/2" × 13", 8-1/4" × 13", 8" × 13"), 8K, 16K
Power Requirements	Supplied from Finisher FS-534
Dimensions [W] × [D] × [H]	61 × 492 × 142 mm (2-1/2" × 19-1/2" × 5-1/2")
Weight	Approx. 1.8 kg (4 lb)

*1 Set by Customer engineer



Paper Feed Cabinet PC-110 (Optional)

Support Paper Type (Weight)	Thin paper/Plain paper (52 to 90 g/m ²) Thick paper (91 to 256 g/m ²)
Support Paper Size	A3 to A5S ^{*1} , 11" × 17" to 8-1/2" × 11", Foolscap ^{**2} (8-1/2" × 13-1/2", 8-1/2" × 13", 8-1/4" × 13", 8" × 13"), 8K, 16K Crosswise
Paper Capacity	Top tray (Tray 3) Plain paper: 500 sheets, Thick paper: 150 sheets
Power Requirements	Supplied from the MFP main body
Dimensions [W] × [D] × [H]	615 × 652 × 246 mm (24-1/4" × 25-3/4" × 9-3/4")
Unit Configuration	Paper tray, 1 level
Weight	Approx. 22 kg (48-1/2 lb)

*1 S: Short edge feed 

*2 Set by Customer engineer



Paper Feed Cabinet PC-210 (Optional)

Support Paper Type (Weight)	Thin paper/Plain paper (52 to 90 g/m ²) Thick paper (91 to 256 g/m ²)
Support Paper Size	A3 to A5S ^{*1} , 11" × 17" to 8-1/2" × 11", Foolscap ^{**2} (8-1/2" × 13-1/2", 8-1/2" × 13", 8-1/4" × 13", 8" × 13"), 8K, 16K Crosswise
Paper Capacity	Top tray (Tray 3) Plain paper: 500 sheets, Thick paper: 150 sheets
	Bottom tray (Tray 4) Plain paper: 500 sheets, Thick paper: 150 sheets
Power Requirements	Supplied from the MFP main body
Dimensions [W] × [D] × [H]	615 × 652 × 246 mm (24-1/4" × 25-3/4" × 9-3/4")
Unit Configuration	Paper tray, 2 level
Weight	Approx. 24 kg (53 lb)

*1 S: Short edge feed 

*2 Set by Customer engineer



Paper Feed Cabinet PC-410 (Optional)

Support Paper Type (Weight)	Thin paper/Plain paper (52 to 90 g/m ²) Thick paper (91 to 256 g/m ²)
Support Paper Size	A4 Crosswise (8-1/2" × 11" Crosswise)
Paper Capacity	Plain paper: 2,500 sheets, Thick paper: 1,000 sheets
Power Requirements	Supplied from the MFP main body
Dimensions [W] × [D] × [H]	615 × 652 × 246 mm (24-1/4" × 25-3/4" × 9-3/4")
Unit Configuration	Paper tray, 2 level
Weight	Approx. 23 kg (50-3/4 lb)


Authentication Unit (IC Card type) AU-201 (Optional)

Applicable Card	ISO 14443 TypeA, FeliCa-based noncontact IC card
Interface	USB 2.0
Power Supply	Power received from USB port
Dimensions [W] × [D] × [H]	92 × 64 × 16 mm (3-3/4" × 2-1/2" × 3/4")
Weight	Approx. 120 g (264-1/2 lb)


Authentication Unit (Biometric type) AU-102 (Optional)

Biometric Sensor System	Transmission-type optical system
Interface	USB 2.0
Verification Time	Approx. 1 sec. or less
Max. Power Consumption	DC 5 V 500 mA
Dimensions [W] × [D] × [H]	59 × 82 × 74 mm (2-1/4" × 3-1/4" × 3")
Weight	Approx. 96 g (211-3/4 lb) (excluding USB cable)

■ bizhub C364e (C284e/C224e) + DF-624 + PC-210 (PC-110/PC-410/DK-510) + OT-506



■ bizhub C364e/C284e/C224e + DF-701 + PC-210 (PC-110/PC-410/DK-510) + FS-533



■ bizhub C364e/C284e/C224e + DF-624 + PC-210 (PC-110/PC-410/DK-510) + MK-730 + FS-534

